

## PRODUCT INFORMATION PACKET



Model No: 6507V

Catalog No: 6507V

EVERGREEN® VS Fan and Blower Motor, 3/4 HP, 1 Ph, 60/50 Hz, 120/240 V, 1050 RPM, 5 Speed, 48 Frame,  
OPAO



Regal and Genteq are trademarks of Regal Rexnord Corporation or one of its affiliated companies.  
©2026 Regal Rexnord Corporation, All Rights Reserved. MC017097E





### Nameplate Specifications

|                    |                     |                     |               |
|--------------------|---------------------|---------------------|---------------|
| Phase              | 1                   | Output HP           | 3/4 Hp        |
| Output KW          | 0.56 kW             | Voltage             | 120/240 V     |
| Speed              | 1050 rpm            | Service Factor      | 1             |
| Frame              | 48                  | Enclosure           | Open Air Over |
| Thermal Protection | Automatic           | Ambient Temperature | 40 °C         |
| Frequency          | 60/50 Hz            | Current             | 10.1/6.1 A    |
| Duty               | Continuous Air Over | Insulation Class    | B             |
| UL                 | No                  | CSA                 | N             |
| CE                 | Y                   | A2L Status          | A2L Certified |
| Number of Speeds   | 5                   |                     |               |

### Technical Specifications

|                       |                                 |                    |              |
|-----------------------|---------------------------------|--------------------|--------------|
| Electrical Type       | Electronically Commutated Motor | Poles              | 12           |
| Rotation              | Counterclockwise/Clockwise      | Mounting           | Round        |
| Motor Orientation     | Vsd                             | Drive End Bearing  | Ball         |
| Opp Drive End Bearing | Ball                            | Frame Material     | Rolled Steel |
| Shaft Type            | Flat                            | Overall Length     | 11.96 in     |
| Frame Length          | 4.82 in                         | Shaft Diameter     | 0.500 in     |
| Shaft Extension       | 5.00 in                         |                    |              |
| Outline Drawing       | 5SME39NXL3223                   | Connection Drawing | N/R          |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/02/2026

