

PRODUCT INFORMATION PACKET

FASCO®

Model No: D1039
Catalog No: D1039
OEM Replacement Motor, 1/10 HP, 1 Ph, 60 Hz, 115 V, 4.4 Frame, OAO



Regal and FASCO are trademarks of Regal Rexnord Corporation or one of its affiliated companies.
©2026 Regal Rexnord Corporation, All Rights Reserved. MC017097E

RegalRexnord



Nameplate Specifications

Phase	1	Output HP	1/10 Hp
Output KW	0.07 kW	Voltage	115 V
Speed	1610 rpm	Service Factor	1.0
Frame	4.4	Enclosure	Open Air Over
Thermal Protection	Thermally Protected	Ambient Temperature	40 °C
Frequency	60 Hz	Current	3.07 A
Duty	Air Over	Insulation Class	A
UL	Recognized	CSA	Y
CE	N	A2L Status	A2L Compliant
Number of Speeds	1		

Technical Specifications


Electrical Type	Shaded Pole	Starting Method	Across The Line
Poles	4	Rotation	Counterclockwise Shaft End
Mounting	Extended Studs	Drive End Bearing	Sleeve
Opp Drive End Bearing	Sleeve	Frame Material	Na
Shaft Type	Flat	Overall Length	7.59 in
Shaft Diameter	0.500 in	Shaft Extension	2.40 in
Connection Drawing	NA	Outline Drawing	71086818

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2026

16. CARTON LABELS MUST ALL FACE ONE DIRECTION TOWARD THE OPEN END OF THE PALLET. SEE 88834408.
17. NO PACKAGING TAPE OVER CARTON LABEL.

BROWNING MANUFACTURING COMPANY, MAYSVILLE, KENTUCKY

DATE 4-9-65	DR. BL.	CH'K'D	DISTRIBUTION
8.00 Q.D. 2 GR "B", 3.50 O.D. 4 GR "B" x 1 5/8 B.			
SPCL. STEP CONE SHEAVE			
NEW YORK AIR BRAKE CO.			
MATERIAL 8 1/2" C.I. STICK			
PART NO.			
BALANCE "STD."			
FINISH "STD. GRAY"			
MARKING			
BROWNING			
SIZE			
PART NO.			
YES NO			
7 7			
7			
TOLERANCES			
UNLESS OTHERWISE SPECIFIED			
FRACTIONAL DIMENSIONS ± 1/64			
DECIMAL DIMENSIONS ± .005			
REVISION			
BY			
DATE			



APPROVAL	NO APPROVAL REQUIRED	DWG. NO.	ISSUE
SENT TO EDWARDS IND.		NA-3002	
SENT 4/9/65 RET'D 4-14	PER	DATE	